Davis Welding

OHIO STATE U... LIBRARY
JAN - 8 1964

INSTRUMENT PRACTICE

INDEX TO VOL. 17, 1963

* Signifies New Instrument

A

A.F. and M.F. modular range*, June, p. 643
Abstracts:
Measurement and Control, Oct., p. 1080; Nov., p. 1209; Dec., p. 1329
of Articles in Foreign Journals, Feb., p. 186
Accessories, for Unicam spectrophotometer*, July, p. 787
Accelerometer*, April, p. 425
Accurate Alignment Interferometer, April, p. 402
Acoustic fault-finding apparatus, uses AEI ignitrons, Jan., p. 112
Acromag and Cyclemag*, May, p. 543
Activators, vibra screw bin*, May, p. 554
Actuators*, May, p. 549
linear and rotary*, May, p. 556
long stroke*, May, p. 551
rotary*, Nov., p. 1233
rotary torque*, Sept., p. 994
valve*, July, p. 785
Adaptors, smoke control*, July, p. 775
Adjustment unit, mains*, May, p. 537
Advance Link-up with Houston, Nov., p. 1198
Air Conditioning, Control of, at Fylingdales, Jan., p. 76
Air purification plant, high pressure*, Oct., p. 1113
Air-drying preparation*, Sept., p. 986
Air-line fittings, plastic*, Feb., p. 210
Alarm system, for radiographers*, Dec., p 1341
Alarm unit, pre-packaged*, March, p. 330
Alternating voltage measurement*, July, p. 769
Amplifier:
d.c.*, Jan., p. 94
high stability, d.c.*, Jan., p. 99
servo*, Oct., p. 1098
Amplifiers:
i.f.*, Dec., p. 1352
transistor, differential*, Feb., p. 216
Amplitude control, for vibratory feeders*, Feb., p. 209
Analogue memory, continuous*, April, p. 433
Analyzer:
amplitude-distribution*, Nov., p. 1252
CHN*, May, p. 530
miniature liquid*, May, p. 545
moisture*, Nov., p. 1251
plastic stress*, May, p. 549
Quick-response CO_2*, Sept., p. 989
television transmitter sideband, TF 2360*, June, p. 643
transfer function*, Feb., p. 214; Nov., p. 1246
transistor*, March, p. 332
transistorized spectrum*, Nov., p. 1252
transistorized, statistical*, Oct., p. 1090
wave, 2000 range*, Dec., p. 1341
X-ray*, Dec., 1337
Ancillary pump*, April, p. 424
Anglo-U.S. Military Electronics Company, May, p. 489
Annual Report, British Electrical and Allied Manufacturers Association, May, p. 576
Another I.R.E. Award, Feb., p. 159
Application, Characterization and Performance of the SPAT as a Transistor Chopper, J. A. Ekiss and J. W. Halligan, April, p. 387
Appointment of New Director to SIRA, Sept., p. 942
Apprenticeship in Europe, The Lesson for Britain, March, p. 287
Assay, automated signal tablet*, June, p. 665
Atkinson, P.: Some Popular Fallacies Associated with the Nyquist Diagram, Oct., p. 1075
Atmospheric pollution, and an automatic sulphur dioxide recorder*, June, p. 663
Atomic model, planar nitrogen*, Sept., p. 988
Attenuated total reflectance unit*, July, p. 792
Autocollimator, servo operated*, April, p. 425
Automatic answering service*, Sept., p. 973
Automatic Control Theory, An Important Russian Contribution, Liapunov's Stability Theory, P. C. Parks, May, p. 490
Automatic determination, of sodium hydroxide*, Feb., p. 215
Automatic drain, and filters*, April, p. 432
Automatic Measuring Stop, for a Hot Saw, May, p. 507
Automatic protective system*, Aug., p. 876
Automatic Recording, of Wagon Movement, Jan., p. 74
Automatic steel bar testing in Czechoslovakia, Jan., p. 112
Automation in Action, March, p. 312; April, p. 403
Automobiles, Control in, May, p. 518
Avoiding Aeration in Hydraulic Circuits, Sept., p. 966
Ayer, J. B.: Unique Electrical Measuring Instrument, April, p. 382

B

Ball drive, dual ratio*, Sept., p. 994
Barriers, automatic car park control*, May, p. 539
Batch counter and rate indicator*, April, p. 426
Baths, ultrasonic*, June, p. 672
Bathythermograph slug speeds measurement of ocean temperatures, Feb., p. 226
Batteries:
high power, range of*, Aug., p. 876
manganese*, May, p. 551
Baumann, Hans D.: Introduction of a Critical Flow Factor for Valve Sizing, Jan., p. 38
Bench assembly and storage trays*, Aug., p. 883
Bin-Aural instruments, for machinery testing*, Sept., 979
Bir-Vac High and Ultra-high Vacuum Equipment, June, p. 638
Book Notices, Jan., p. 78; Feb., p. 206; June, p. 613; Sept., p. 946
Book Reviews, Jan., p. 46; Feb., p. 155; Oct., p. 1059; Dec., p. 1312
Boundary Layer and Flow Measurement, R. G. West, Feb., p. 156; March, p. 269
Box, 'Ali'*, May, p. 534
Bridge:
strain measuring*, May, p. 543
universal, Type 131*, July, p. 781
r.f.*, Nov., p. 1242
Bridges*, June, p. 646
Bright nickel solution*, April, p. 427
British National Hydrogen Bubble Chamber, April, p. 380
Bulk oxygen, for car body builders, Feb., p. 226

C

Cable, miniature, thermocouple*, Aug., p. 873
Cadmium sulphide cells*, April, p. 434
Camera and drive unit*, June, p. 661
Camera, electric*, Nov., p. 1247
Capacitance bridge, precision*, April, p. 433
Capacitor Discharge Stud Welding, May, p. 508
Capacitor, air dielectric trimmer*, Sept., p. 994
Capacitors:
air dielectric, variable*, July, p. 773
high density packaging*, June, p. 668
multiplate ceramic*, July, p. 773
polystyrene, precision*, June, p. 672
solid electrolyte, aluminium*, Nov., p. 1250
thin film*, March, p. 323
Captains But No Crews, Commentary, Nov., p. 1177
Cardiograph, transistorized*, Sept., p. 977
Carrier-amplifier unit*, Jan., p. 89
Cartridge, silicon*, March, p. 321
Cathode follower, four channel*, April, p. 417
Cathode ray tube, with internal magnetic deflection*, March, p. 327
Cell, plug-in, photoconductive*, Aug., p. 871
Cells:
sub-miniature, photoconductive*, Dec., p. 1355
zinc, silver, chloride*, Jan., p. 87
Cement, conductive*, June, p. 667

Chambers, electrothermal*, Aug., p. 864
Cheap Non-contacting Wire Diameter Gauge, July, p. 759
Chlorinator, gas*, April, p. 418; Nov., p. 1234
Chromatobags*, July, p. 778
Chromatograph:
dual column-dial flame detector gas*, Feb., p. 216
gas*, April, p. 434; Nov., p. 1231
Chronometer, deci-microsecond*, Oct., p. 1098
Church, F.:
Control of Paper Stock Additives, Oct., p. 1071
Planning Labour and Materials for an Instrument Department, Part 1, Nov., p. 1179; Dec., p. 1307
Transverse Measurement of Paper Substance, Sept., p. 947
Transverse Paper Web Moisture Control, Aug., p. 837
Circuit breaker, push button*, Sept., p. 996
Circuit elements, encapsulated logical*, Oct., p. 1114
Circuit, integrated microwave*, Dec., p. 1352
Cleaners, agitated*, April, p. 417
Clutches and brakes, electro magnetic*, April, p. 418
Coating:
Anti condensation*, April, p. 431
metallic*, Aug., p. 875
Coating unit, high vacuum*, Nov., p. 1225
Colorimeter, high sensitivity*, Jan., p. 94
Commentary:
Captains But No Crews, Nov., p. 1177
Computer Control Again, Aug., p. 835
Design, April, p. 371
Electrical Instrument Exports, Sept., p. 935
Environmental Engineering, March, p. 267
5 Years On, Jan., p. 31
Moving Towards Metric, Dec., p. 1305
On-line Analyzers Underlined, Oct., p. 1053
On or Off, June, p. 605
Steel, July, p. 727
Technical Press, Feb., p. 151
Unwanted Factor—Noise, May., p. 485
Comparator:
electro mechanical*, Oct., p. 1111
Electronic*, March, p. 328
stayput hand*, July, p. 784
Components, servo*, Sept., p. 991
Compensation Pyrometer, for the Measurement of Surface Temperature of Moving Parts Independent of the Surface Emissivity, P. Euser, May, p. 487
Comprehensive Aircraft Control Instrumentation, Oct., p. 1088
Compressor, air*, Feb., p. 210
Computer*, July, p. 792
Control Again, Commentary, Aug., p. 835
for Hire, July, p. 751
medium range, from General Electric*, July, p. 767
News, Feb., p. 195
Notes, on Operational Experiences with the Ural-1, L. A. Steiner, May, p. 505
roundness*, April, p. 427
Scientists Explain, July, p. 734
Speeds Hydraulics Calculations, Nov., p. 1217
Condensed Report, on the Second I.E.E. Conference, Reliability of Electronic Systems, March, p. 290
Connector:
high density edge*, June, p. 655
printed circuit, test point*, April, p. 423
Connectors:
electrical*, Sept., p. 979
miniature microwave*, Oct., p. 1123
moulded edge*, April, p. 415
printed circuit edge*, Sept., p. 986
Contactor:
midget*, Dec., p. 1360
silent relay*, Oct., p. 1106
Container, industrial*, Sept., p. 1002
Control:
automatic gas/oil burner*, Jan., p. 90
in Automobiles, May, p. 518
lock-in level*, Dec., 1341
of Air Conditioning at Fylingdales, Jan., p. 76
of firing conditions for china ware*, April, p. 442
of Paper Stock Additives, F. Church, Oct., 1071
on the Continent, March, p. 305; April, p. 407; May, p. 520
Control system analyzing equipment*, Jan., p. 85
Control systems, 2 wire, remote*, March, p. 326
Control unit, for materials handling*, May, p. 541
Control units, illuminated push button*, July, p. 787
Control valves, for liquid gases*, July, p. 772
Controller:
digital ratio*, Dec., p. 1346
electronic level, July, p. 763
Four-stage, for liquid chillers*, Sept., p. 984
indicating*, Aug., p. 877
indicator, temperature*, Jan., p. 87
level*, April, p. 425
liquid level*, Jan., p. 88
portable temperature, Oct., p. 1115
power cylinder, feed rate*, April, p. 425
pressure, precision*, Oct., p. 1097
proportional temperature*, May, p. 529
Sensitive Mass Flowmeter, and, E. Rothwell, Feb., p. 153
temperature*, July, p. 784
three term*, May, p. 545
transistorized level*, Nov., p. 1228
vapour-pressure, temperature*, March, p. 331
Converter:
Analogue to digital*, July, p. 775
electro-pneumatic*, May, p. 546
for 510 Mc/s*, Dec., p. 1351
log frequency*, May, p. 530
portable, frequency d.c.*, March, p. 324
six channel, frequency d.c.*, March, p. 322
Converters, a.c.-d.c.*, March, p. 331
Cooler, transistor*, Jan., p. 99
Core memory, ferrite*, March, p. 326
Cores, Current Transformer, Residual Flux in, A. Wright, Feb., p. 160
Coupling, eddy current*, Oct., p. 1123
Coupling system, solderless*, Nov., p. 1223
Counter:
batch*, July, p. 789
bell*, Nov., p. 1241
electro-magnetic, with Braille figures*, June, p. 654
electronic*, July, p. 770
electronic batch*, Dec., p. 1342
general purpose*, June, 651
impulse*, Dec., p. 1362
proportional*, Jan., p. 85
sheet*, Dec., p. 1361
totalizing*, June, p. 657
transistorized timer*, June, p. 648; Oct., p. 1104
Counter unit, industrial, series IPU.1*, Feb., p. 209
Counter, universal*, June, p. 641
Counters*, April, p. 434
high speed*, Nov., p. 1238
Transistorized*, Sept., p. 998
Counting equipment, range extended*, Jan., p. 87
Couplings, captive seal*, Oct., p. 1093
Course, on Electronic Instrumentation in Mechanical Marine and Civil Engineering, Oct., p. 1086
Creep testing machine, high temperature*, April, p. 421
Crimped coaxial plugs and jacks*, Oct., p. 1114
Crimping tool, universal*, July, p. 773
Crimping unit, portable, electro- hydraulic*, May, p. 547
Critical Flow Factor, for Valve Sizing, Introduction of a, Hans D. Baumann, Jan., p. 38
Crystal units, all-glass*, Sept., p. 981
Curve tracer, automatic transistor*, Oct., p. 1109

D

D.C. supplies, constant voltage*, April, p. 419
D.C. supply, stabilized*, March, p. 331
Data link, computer*, April, p. 432
Dataplotter, high speed*, May, p. 554
Delay line, magnetostrictive*, Feb., p. 207
Design, Commentary, April, p. 1963
Detector:
leak*, Nov., p. 1241
flaw*, March, p. 328
phase sensitive*, Dec., p. 1355
pocket signal*, April, p. 421
refrigerant and fumigant leak*, Sept., p. 978
scintillation*, Nov., p. 1234
ultra-violet, flame*, Nov., p. 1233
Detectors:
phase sensitive*, Dec., p. 1352
Particle, F. M. Russell, Part 3, Jan., p. 43
Dials, digitized counting*, Aug., p. 883
Diffractometer, X-ray*, Nov., p. 1233
Diffusometer, photo-gonio*, May, p. 529
Digital Controls in Satellite Ground Stations, L. A. Steiner, Feb., p. 167
Digital indicator, for multi-turn components*, Aug., p. 873
Digital indicators and an elapsed time indicator*, Sept., p. 989
Digital Print-out Integrator for the Gas Chromatograph, R. C. Marshall, Nov., p. 1186
Digitizer*, April, 429; July, p. 763
capacitative*, Feb., p. 207
Diode, noise*, June, p. 657

Diode selector, Zener*, Sept., p. 996
Diodes:
snap-off*, Sept., p. 978
subminiature, silicon planar epitaxial*, Sept., p. 1000
Discriminators*, Dec., p. 1352
Discussions, on Neutron Measurements, Jan., p. 59
Display units, storage numerical*, April, p. 423
Distance no Object, with British Facsimile System, Sept., p. 952
Divider:
compact voltage*, Aug., p. 881
inductive voltage*, Aug., p. 869
Doser, fluid*, Jan., p. 96
Duplicator, hydraulic*, June, 674
Dynamic Behaviour of Rotameters, Oct., p. 1087

E

E.R.A. Discharge Detectors, Part 1. A Comparison of their Characteristics and Applications, G. Mole, April, p. 400; Part 2, June, p. 625
E.R.A. Electronics Department Visit, May, p. 517
Earth testing equipment*, Jan., p. 87
Edge guider, variable linear speed*, June, p. 648
Effluent Treatment Instrumentation, May, p. 511
Ekiss, J. A., and Halligan, J. W.: Application, Characterization, and Performance of the SPAT as a Transistor Chopper, April, p. 387
Electrical Instrument Exports, Commentary, Sept., p. 935
Electrometer:
multimeter*, Nov., p. 1252
multi range, July, p. 772
Electron stick*, Dec., p. 1342
Electronic Equipment, The Training of Design Draughtsmen for, R. C. Winton, May, p. 515
Electronic Exchange for Flexibility in Business, May, p. 516
Electronic instruments, selection of*, Oct., p. 1103
Electronic transmission system*, April, p. 419
Electronics, Instrumentation and Production, Symposium and Exhibition on, Sept., p. 943
Electronics Trainer, Mullard, R. C. Winton, June, p. 614
Electroplating unit*, March, p. 323
Emitter follower*, June, p. 674; Oct., p. 1101
Enclosure, mobile rack mounting*, June, p. 674
Encoder:
digital shaft*, May, p. 534; Oct., p. 1122
high resolution, optical shaft*, Dec., p. 1344
Encoders, on-off*, Dec., p. 1357
Environmental Engineering, Commentary, March, p. 267
Equipment, for counting and batching*, Oct., p. 1106
Eraser, magnetic tape bulk*, Nov., p. 1228
Etching, of printed circuit boards*, Oct., p. 1121
Europe, Marketing in, Eric af Wetterstedt, June, p. 607
Euser, P.: Compensation Pyrometer for the Measurement of Surface Temperatures of Moving Parts Independent of the Surface Emissivity, May, p. 487
Evaluation kit, micrologic*, July, p. 785
Everts, L., see Koppe, H.
Extensometer:
incremental*, May, p. 556
recording*, May, p. 533
Extruded sections, in cellular neoprene*, Aug., p. 880

F

Fast Opening Photographic Shutter, Feb., p. 205
Fasteners, bolts and screw*, Jan., p. 97
Faster gauging operations*, June, p. 661
Feed unit, high-precision, rotary*, Feb., p. 207
Feeders, vibration*, Jan., p. 90
Fibre Optic Demonstration, April, p. 377
Fibres, glass scintallator*, June, p. 670
50 Years for Sperry, May, p. 514
Filter:
air*, June, p. 667
static type air*, July, p. 764
Filter unit*, April, p. 423
Filters:
acoustic*, May, p. 527
for vacuum pumps*, Sept., p. 991
optical*, April, p. 417
Fire alarm, photo-electric smoke detector*, Oct., p. 1115
5 Years On, Commentary, Jan., p. 31
Ferranti Open New Research and Development Laboratories at Bracknell, Nov., p. 1185
Fives Board, July, p. 752
Flame Safeguard Equipment, Recent Developments in, E. B. Foskett, Oct., p. 1060
Flasher unit*, April, p. 433
Float chargers, heavy duty*, May, p. 558
Floatswitches*, April, p. 429
Flow Measurement, Boundary Layer and, Part 1, R. G. West, Feb., p. 156; Part 2, March, p. 269
Flowmeter and Controller, Sensitive Mass, E. Rothwell, Feb., p. 153
Flowmeter detector head*, May, p. 558
Flowmeter, electro-magnetic*, June, p. 659
Flowmeters, electronic*, March, p. 323
Forthcoming Exhibitions and Conferences, Jan., p. 110; April, p. 443
Foskett, E. B.: Recent Developments in Flame Safeguard Equipment, Oct., p. 1060
Frequency drive, a.c. variable*, Dec., p. 1340
Frequency modulator, telemetry*, Nov., p. 1245
Frequency standard, portable Off-air*, Dec., p. 1351
Frequency standards, tuning fork*, Nov., p. 1222
Fundamentals of Packaging, May, p. 510
Furnace:
high temperature vacuum*, Oct., p. 1110
thermocouple calibrations*, July, p. 777

G

Gabor, Prof. D.: Thomson Lecture, Technology, Life and Leisure, Dec., p. 1313
Gallium Arsenide Diode used as Low-Temperature Thermometer, Jan., p. 37
Galvanometers:
first event marking*, May, p. 554
tubular*, Feb., p. 207
Gas Chromatograph, Digital Print-out for the, R. C. Marshall, Nov., p. 1186
Gauge:
High Output Silicon Resistance Strain, July, p. 729
indicating pressure*, Oct., p. 1095
shockproof, pressure*, May, p. 530
torque tube, differential pressure*, April, p. 426
ultrasonic, thickness*, March, p. 321
vibrating wire strain*, Aug., p. 879
Gauges:
etched foil strain*, May, p. 541
high temperature, strain*, Nov., p. 1251
polyester strain*, June, p. 674
slip*, Jan. p. 99
Gel, scintillating*, Jan., p. 85
Generator*, Sept., p. 988
a.m./f.m. signal*, June, p. 670
low frequency, signal*, Dec., p. 1358
motor, size 08*, Aug., p. 873
Generators:
low frequency*, July, p. 783
test waveform*, Oct., p. 1117
two f.m. signal*, Oct., p. 1094
Gold-germanium eutectic*, March, p. 322
Government Proposals—Industrial Training, R. C. Winton, March, p. 286
Grinder, all purpose, pneumatic*, Nov., p. 1249
Grinding machine, centre-hole*, Aug., p. 883

H

Halligan, J. W., see Ekiss, J. A.
Harris, M. J., and Tucker, M. J., Pressure Recorder for Measuring Sea Waves, Oct., p. 1055
Harrison, D. N., Recent Developments using Thermistors, Sept., p. 937
Heads, magnetic*, May, p. 537
Heat sinks:
Polyfin*, March, p. 331
transistor*, Feb., p. 211
High Output Silicon Resistance Strain Gauge, A. Williamson and W. Thorpe, July, p. 729
High Power Laser, July, p. 794
High-speed batching and counting*, May, p. 558
High speed counting equipment*, Sept., p. 973
Holiday detection equipment*, July, p. 772
Honeywell Cement Relations, in Scotland, Oct., p. 1089
Hospital Equipment Exhibition, Jan., p. 51
Housings, aluminium, waterproof cast, Aug., p. 871
How Are We Today Computer, Nov., p. 1197
Hydraulic pumps and motors, May, p. 533
Hydrogen on the Moon, April, p. 386
Hygrometer, differential*, Dec., p. 1339

I

I.C.T./Ferranti Computer Link-up, Sept., p. 967

1963 Standards Engineers' Conference, Productivity the Theme, Feb., p. 166
Inaugural Address to the Science and General Division of the I.E.E., Jan., p. 80
In-circuit Transistor Tester, G. F. Penver, Feb., p. 164
Indexing mechanisms*, April, p. 417
Indicator:
digital*, March, p. 329
elapsed time*, July, p. 778
key switch*, Feb., p. 213
low range CO_2 and O_2*, April, p. 418
magic eye level*, July, p. 770
position*, March, p. 328
safe load*, May, p. 529
sound level*, Dec., p. 1339
sub-miniature edgewise*, Oct., p. 1119
sub-miniature, elapsed time*, Feb., p. 216
tank contents*, Dec., p. 1348
water level*, Jan., p. 93; March, p. 322
Inducers, flow*, Nov., p. 1230
Industrial Pressure Switches, L. J. Jenkin, March, p. 276
Industrial Training—The Government Proposals, R. C. Winton, March, p. 286
Indicator:
neon*, Aug., p. 881
propeller phase, synchronization*, Aug., p. 880
Indicator system, cable load*, Sept., p. 1000
Indicators, speed*, Sept., p. 981
Industrial Instrument Technology, Revised Course in, Chapter 1, Fluid Pressure Measurement, J. T. Miller, May, p. 495; Chapter 2, High Vacuum Measurement, June, p. 617; Chapter 3, Liquid and Solids Level Measurement, July, p. 735; Chapter 4, Differential Pressure Fluid Flowmeters, Aug., p. 843; Chapter 5, Measuring Instruments for Differential Pressure Flow Devices, Sept., p. 1953; Chapter 6, Flow Measurement in Open Channels, Oct., p. 1065; Chapter 7, Displacement, Inferential, Magnetic and Ultrasonic Flowmeters, Nov., p. 1191; Chapter 8, Non-electrical Thermometers, Dec., p. 1323
Injection moulder, small batch production*, Dec., p. 1355
Inspection device, internal*, March, p. 323
Instrument, with transparent mount*,
Instruments:
aircraft navigation*, May, p. 551
carbon monoxide, testing*, Aug., p. 867
measuring, new range of*, Aug., p. 864
new design, measuring*, Aug., p. 871
pivotless* May, p. 537
April, p. 419
Instrument Department, Planning Labour and Materials, for an, Part 1, F. Church, Nov., p. 1179; Part 2, Dec., p. 1307
Instrumentation, International Medical Electronics and, Jan., p. 47
Instrumentation Under Discussion, Sept., p. 968
Insulators, stand-off*, Sept., p. 994
Integrating unit, for impeller flowmeters*, July, p. 780
Integrator, smoke, density*, Nov., p. 1228
International Co-operation on Unified Screw Threads, Feb., p. 169
International Medical Electronics and Instrumentation, Jan., p. 47
International Telemetering Conference, by R. C. Winton, Sept., p. 967; Nov., p. 1204
Introduction of a Critical Flow Factor for Valve Sizing, Hans D. Baumann, Jan., p. 38
Introduction to Automatic Control, Oct., p. 1070
Inverter:
static*, Jan., p. 90
static, 700VA*, Jan., p. 91
Impregnator, automatic*, Sept., p. 1002

J

Jack, test point*, Dec., p. 1346
Jenkin, L. J., Industrial Pressure Switches, March, p. 276
Joint, plastic, universal*, Feb., p. 215
Jones Tate on the Move, April, p. 412

K

Kent instruments, for Fylde Water Board, April, p. 442
Key, miniature lever*, Dec., p. 1340
Klystron, high power, Q-band reflex*, Sept., p. 981
Koppe, H., and Everts, L.: Linear Phase Shifter with Unrestricted Range, Dec., p. 1320
Koppe, H., More Exact Calculation of Miller Integrator Retrace Time, Aug., p. 857
Simple Subcarrier Oscillator with Highly Linear f.m. Performance, Nov., p. 1199
Transistorized Power Supply Stabilizing Down to Zero Output Voltage, Sept., p. 944

L

Lamp:
midget panel*, April, p. 418
signal*, Jan., p. 93
three-colour, indicator*, Jan., p. 90
Lampholder:
b.c. signal*, March, p. 329
sub-miniature*, March, p. 324
Lampholders*, Feb., p. 213
neon and incandescent signal*, Jan., p. 85
Laser:
commercial gas*, Sept., p. 982
helium neon*, Oct., p. 1110
Lead former, electronic component*, March, p. 325
Leakage Reactance of Linear Couplers, A. Wright, April, p. 373
Level controller transmitter, electro/pneumatic*, Sept., p. 998
Level controls, for static tanks*, Feb., p. 217
Liapunov's Stability Theory, an Important Russian Contribution to Automatic Control Theory, P. C. Parks, May, p. 490
Light-ray units*, July, p. 766
Light source*, Nov., p. 1231
Lighting, switch panel, aircraft*, Aug., p. 870
Lights, matching, neon indicator*, Dec., p. 1348
Linear Phase Shifter with Unstricted Range, H. Koppe and L. Everts, Dec., p. 1320
Linear Couplers, Leakage Reactance of, A. Wright, April, p. 373
Long-length delay, for data storage*, Jan., p. 91
Low-pressure hose, and end fittings*, May, p. 539
Lubricant, dry-film, bonded*, March, p. 332

M

Magnetic Rubber Bonded Sheet and Strip, Oct., p. 1064
Magnifier, pocket*, Jan., p. 85
Management Consultants Association, July, p. 753
Manufacturers' Literature, Jan., p. 108; Feb., p. 225; March, p. 339; April, p. 444; May, p. 574; June, p. 694; July, p. 802; Aug., p. 902; Sept., p. 1013; Oct., p. 1142; Nov., p. 1268; Dec., p. 1376
Marker:
batch*, Dec., p. 1361
digital time internal*, Dec., p. 1360
Marker relay, for British market*, July, p. 793
Marketing in Europe, Eric af Wetterstedt, June, p. 60; A Sequel to, Aug., p. 853
Map display, moving*, Nov., p. 1246
Marking unit, electrolytic*, April, p. 427
Marshall, R. C.: Digital Print-out Integrator for the Gas Chromatograph, Nov., p. 1186
Master and Mini Trainer, Sept., p. 964
Means that Justifies the Ends, Aug., p. 856
Measurement and Control Abstracts, Oct., p. 1080; Nov., p. 1209; Dec., p. 1329
Measurement of Surface Temperatures of Moving Parts Independent of the Surface Emissivity, Compensation Pyrometer for the, P. Euser, May, p. 487
Measuring Flow in Pipes, March, p. 309
Measuring set, m.f. transmission*, Oct., p. 1094
Measuring system impedance*, Dec., p. 1326
Medical Electronic Products, Jan., p. 52
Medical Electronics and Instrumentation, International, Jan., p. 47
Medical Instrumentation Teaching Symposium, Jan., p. 51
Meetings, Feb., p. 225
Meter:
B.T.U.*, March, 332
combined, for noise fatigue and machine wear*, April, p. 421
conductivity*, Feb., p. 211
continuous moisture*, March, p. 322
for photo electric cells*, April, p. 430
for rear of panel mounting*, Sept., p. 1002
Hb*, June, p. 672
incremental capacity*, Nov., p. 1249
liquid level*, Feb., p. 213
low moisture determination*, Aug., p. 880
magnetic stray field*, July, p. 793
non-destructive, test*, Nov., p. 1241
refrigeration, test*, Jan., p. 98
Telemax frequency*, Sept., p. 988

Meters:
contemporary style transparent*, May, p. 534
frequency*, Sept., p. 998
miniature edgewise*, Jan., p. 86
panel*, June, p. 667
range of elapsed time*, Oct., p. 1101
transistor, moisture*, Aug., p. 879
Methods of Evaluating Fourier Transforms with Applications to Control Engineering, J. Zorn, Sept., p. 965
Micro-force balance*, Feb., p. 209
Microwave sources*, Nov., p. 1250
Miller Integrator Retrace Time, More Exact Calculation of, H. Koppe, Aug., p. 857
Miller, J. T.: Quality Control Instrumentation, Part 1, Gas-liquid Chromatography, June, p. 627; Part 2, July, p. 747
Revised Course in Industrial Instrument Technology, Chapter 1, Fluid Pressure Measurement, May, p. 495; Chapter 2, High Vacuum Measurement, June, p. 617; Chapter 3, Liquid and Solids Level Measurement, July, p. 735; Chapter 4, Differential Pressure Fluid Flowmeter, Aug., p. 843; Chapter 5, Measuring Instruments for Differential Pressure Flow Devices, Sept., p. 953; Chapter 6, Flow Measurement in Open Channels, Oct., p. 1065; Chapter 7, Displacement, Inferential, Magnetic and Ultrasonic Flowmeters, Nov., p. 1191; Chapter 8, Non-electrical Thermometers, Dec., p. 1323
Milliammeter, a.c. clip-on*, Nov., p. 1219
Millivoltmeter, transistor*, Jan., p. 93
Module unit, plug in*, April, p. 421
Modules, electronic servo system*, June, p. 667
Moisture Control, Transverse Paper Web, F. Church, Aug., p. 837
Moisture measurement by microwave techniques*, Sept., p. 986
Mole, G.: E.R.A. Discharge Detectors, Part 1, A Comparison of their Characteristics and Applications, April, p. 400; Part 2, June, p. 625
Molecular Analysis by Computer, July, p. 731
Monitor:
automatic, for chemical oxygen demand*, Feb., p. 215
profile*, Oct., p. 1093
radiation*, June, p. 672
water purity*, May, p. 539
More Exact Calculation of Miller Integrator Retrace Time, H. Koppe, Aug., p. 857
Mosaic diagram, user-built*, Oct., p. 1122
Mostra Dell 'Automazione e Strumentazione Milano, Jan., p. 81
Motor, induction, Size 08*, Aug., p. 873
Motoring—new warning system developed, April, p. 442
Moving Towards Metric, Commentary, Dec., p. 1305
Muirhead mobile demonstration unit, Sept., p. 969
Mullard Electronics Trainer, R. C. Winton, June, p. 614
Multimeter:
solid state, digital*, May, p. 547
Type CT471B*, July, p. 781
Multiminor Mark 4, Avo*, Feb., p. 210
Multipliers, printed circuit "strip-line"*, Jan., p. 92

N

NBS Laser Produces Interference Fringes over 200 Metre optical path, June, p. 623
Net Flux Radiometer, B. G. Tunmore, July, p. 743
Neue Geräte*, Jan., p. 100; March, p. 333
Neutron Measurements, Discussions on, Jan., p. 59
New Method of Transferring Radioactive Isotopes, Jan., p. 82
New Patents, Feb., p. 163; March, p. 289
News Briefs, June, p. 613; Oct., p. 1090
News from N.E.L., Jan., p. 101
News from the World of Medical Electronics, Jan., p. 53
News of the Industry, Jan., p. 103; Feb., p. 220; March, p. 335; April, p. 436; May, p. 561; June, p. 676; July, p. 795; Aug., p. 889; Sept., p. 1003; Oct., p. 1124; Nov., p. 1252; Dec., p. 1363
Noise Abatement Testing, April, p. 379
North East—Westool Success
Notes on Operational Experiences with the Ural-1 Computer, L. A. Steiner, May, p. 505
Nouveaux Produits*, Feb., p. 218
Nucleonic instruments, range of modular*, Oct., p. 1097
Nyquist Diagram, Some Popular Fallacies Associated with the, P. Atkinson, Oct., p. 1075

O

On-line Analyzers Underlined, Oct., p. 1053
On or off, Commentary, June, p. 605
Operators, rotary valve*, April, p. 431
Optimal Control, Dynamic Programming, and the Maximum Principle, H. H. Rosenbrock, Aug., p. 841
Oscillator:
audio sweep*, Feb., p. 212
RC*, June, p. 672
transistor, R.C*, April, p. 424
video*, Sept., p. 991
Oscillograph:
direct recording, ultra-violet*, March, p. 322
recording*, Dec., p. 1360
Oscilloscope, dual trace, modular*, Dec., p. 1357
Oscilloscopes*, June, p. 645
at University of Sussex, Aug., p. 861
double beam*, June, p. 651
storage*, March, p. 321

P

P-N Junction Rectifiers, Feb., p. 170
Packaged circuits*, March, p. 332
Panel, image retaining*, March, p. 329
Paper Products, Research and Development in, Jan., p. 79
Parkinson Cowan solves liquid measurement problem, Feb., p. 226
Parks, P. C.: Liapunov's Stability Theory, An Important Russian Contribution to Automatic Control Theory, May, p. 490
Parliamentary Secretary at B.o.T. visits Cambridge Instruments, June, p. 626
Particle Detectors, F. M. Russell, Part 3, Jan., p. 43
Paper Stock Additives, Control of, F. Church, Oct., p. 1071
Patchboard, two pole, corded*, Jan., p. 85
Personalities, Jan., p. 109; Feb., p. 223; March, p. 341; April, p. 441; May, 573; June, p. 691; July, p. 808; Sept., p. 1009; Oct., p. 1132; Nov., p. 1265; Dec., p. 1373
Phase Shifter, Linear, with Unrestricted Range, H. Koppe and L. Everts, Dec., p. 1320
Phone, without dials*, June, p. 659
Photocell, high circuit*, Dec., p. 1353
Photo-detector, fast*, Jan., p. 89
Photo-electrically Controlled Conveyors Lead to Manpower Economy, Feb., p. 193
Photometer, Weston*, May, p. 545
Photomultipliers, squirrel cage*, Nov., p. 1236
Photo sensor assembly*, Sept., p. 998
Photo-switch*, Oct., p. 1121
Photronic lighting control*, Aug., p. 871
Physical Society Exhibition, some highlights, March, p. 310
Pick-off, wide angle magnetic*, July, p. 784
Pipe heating unit, for pipe bender*, Sept., p. 989
Planning Labour and Materials For An Instrument Department, Part 1, F. Church, Nov., p. 1179; Part 2, Dec., p. 1307
Plethysmograph, Whole-body, F. D. Stott, Jan., p. 48
Plinth unit, divider*, Oct., p. 1095
Plotter:
digital*, Nov., p. 1222
time sharing track*, Nov., p. 1250
Plug, rack/panel*, Aug., p. 869
Plugs and sockets, range of*, Jan., p. 97
Polarograph:
differential cathode ray*, July, p. 767
pulse, Mark II*, June, p. 668
Polisher, automatic lens*, Aug., p. 880
Positioner, double acting*, July, p. 766
valve*, July, p. 777
Pot design, wire wound*, July, p. 775
Potentiometer:
micro-torque*, Nov., p. 1227
miniature, Sept., p. 991
miniature trimmer*, April, p. 431; Sept., p. 973
precision*, April, p. 432
precision vernier*, April, p. 429
wire wound*, Nov., p. 1250
high value*, Jan., p. 92
Potentiometer:
low-torque, precision*, Oct., p. 1117
subminiature*, Jan., p. 94
Potentiometer development*, Aug., p. 870
Potentiometer supply, stabilized*, May, p. 556
Power supplies d.c.*, April, p. 424
modular stabilized*, July, p. 780
regulated*, March, p. 330
sub-module*, June, p. 664
Power supply:
High voltage, regulated*, Aug., p. 869
low voltage*, laboratory regulated*, Jan., p. 91
stabilized twin*, Oct., p. 1122

Power unit:
bench variable*, July, p. 764
d.c. regulated*, Jan., p. 94
Pre-amplifier, auto band*, Dec., p. 1356
Precision Electromagnetic Measurements Conference, Nov., p. 1197
Predetermined counter, photo-electric*, Feb., p. 209
Pressure control valve test equipment, Feb., p. 226
Pressure Recorder for Measuring Sea Waves, M. J. Harris and M. J. Tucker, Oct., p. 1055
Pressure switches, Industrial, L. J. Jenkin, March, 276
Probe:
hall effect, field*, Nov., p. 1234
transistorized ultrasonic*, July, p. 761
Probes, high-resolution scintillation*, Oct., p. 1101
Productivity and the engineer, June, p. 616
Programmed integration equipment*, Aug., p. 888
Projector, combined light beam*, July, p. 775
Proximity switch developments*, Sept., p. 977
Pump:
metering*, July, p. 781
micro-metering*, Jan., p. 96
Penning*, Aug., p. 883
rotary positive displacement*, Jan., p. 99
Pumps:
diaphragm*, Oct., p. 1104
oil free diaphragm*, April, p. 432
range of sorption*, Oct., p. 1111
Pyrometer:
surface, for high speed cylinders*, Jan., p. 91
surface, temperature*, Jan., p. 98

Q

Quality Control Instrumentation, Part 1, Gas-liquid Chromatography, J. T. Miller, June, p. 627; Part 2, July, p. 747
Quantitative monitoring, for plant control*, Sept., p. 982

R

R.E.C.M.F. 1963 Component Show, July, p. 755
Rack/Panel plug, Cannon*, June, p. 665
Racks and frameworks*, April, p. 420
Radiometer, Net Flux, B. G. Tunmore, July, p. 743
Ratemeter, controlling, for vacuum evaporation*, Jan., p. 88
counting*, Dec., p. 1344
gamma dose*, Dec., p. 1340
Receiver, photo diode*, July, p. 775
Recent Developments in Flame Safeguard Equipment, E. B. Foskett, Oct., p. 1060
Recent Developments using Thermistors, D. N. Harrison, Sept., p. 937
Receptacles, test probe*, June, p. 659
Recorder:
chromatography*, March, p. 321
four channel, tape*, Jan., p. 86
14 track*, April, p. 434
miniature*, May, p. 546
miniature, potentiometric*, Jan., p. 99
miniature temperature*, Feb., p. 214
multi-race, electronic*, Nov., p. 1221
Pressure, for Measuring Sea Waves, M. J. Harris and M. J. Tucker, Oct., p. 1055
ship's telegraph*, Dec., p. 1353
single channel, direct writing*, Nov., p. 1227
strip-chart*, Aug., p. 888
10 megohm input, impedance*, March, p. 329
3 channel high speed, pen*, May, p. 533
ultra-violet galvanometer*, Jan., p. 86; July, p. 781
X-Y*, Nov., p. 1252; Dec., p. 1356
Recorders:
high speed pen*, July, p. 769
Poteniometric*, Aug., p. 869
rack mounting*, Feb., p. 212
Recorder/reproducer, f.m.*, Dec., p. 1349
Recording system, multi-channel*, Feb., p. 211
Rectifier, all diffused avalanche*, July, p. 783
Rectifier kits*, Aug., p. 863
Rectifiers, diffused silicon*, Sept., p. 975
Recorder:
multi channel operation*, Sept., p. 975
transcope*, Sept., p. 975
Recording the effects of weather on Trawsfyndd Lake, Feb., p. 226
Rectifiers:
avalanche*, July, p. 780
liquid-cooled, silicon*, Feb., p. 211
P-N Junction, Feb., p. 170
Reduction drives, epicyclic*, Sept., p. 994
Reference units, voltage*, May, p. 537
Regulators:
panel-mounting flow*, Nov., p. 1225
power*, April, p. 430
Relay:
contactor*, April, p. 431
High "G"*, April, p. 433
heavy duty*, Aug., p. 876
miniature*, July, p. 775
miniature, plug-in*, March, p. 324
multi-contact*, Jan., p. 95
motor protection*, Sept., p. 982
photocell*, Jan., p. 87
plug-in*, Oct., p. 1106; Oct., p. 1119
pneumatic time*, Jan., p. 98
pygmy, power type plug in*, Nov., p. 1251
reed*, July, p. 777
stepping*, Aug., p. 887
to protect synchronous plant*, Aug., p. 888
transistorized, measuring*, Jan., p. 96
Relays:
a.c. power*, Feb., p. 213
miniature plug in*, April, p. 419
miniature polarized*, June, p. 652
new range of*, Sept., p. 984
new series of*, Sept., 998
photo-electric*, March, p. 331
power*, April, p. 423
process control*, Nov., p. 1236
subminiature*, June, p. 670
timing*, March, p. 323
Relay equipment, ultrasonic beam*, Oct., p. 1109
Relay system, tripping control*, July, p. 790
Relay unit, plug-in, transistorized*, Dec., p. 1356
Reliability of Electronic Systems, Condensed Report on the Second I.E.E. Conference, March, p. 290
Research and Development in Paper Products, Jan., p. 79
Research at Racal, March, p. 317
Reservoirs:
air*, July, p. 777
air and air-oil*, Feb., p. 207
Residual Flux in Current Transformer Cores, A. Wright, Feb., p. 160
Resistances, heavy duty*, Sept., p. 991
Resistance unit, bridge*, July, p. 783
Resistor, miniature*, Dec., p. 1344
Resistors:
a.c./d.c. decade*, July, p. 766
high stability*, April, p. 433
insulated, wire-wound*, Jan., p. 90
miniature, for printed circuits*, Jan., p. 94
precision metal film*, March, p. 326
Resolver*, July, p. 763
flying spot particle*, May, p. 529
Revised Course in Industrial Instrument Technology, list of chapters, May, p. 494; Chapter 1, Fluid Pressure Measurement, J. T. Miller, May, p. 495; Chapter 2, High Vacuum Measurement, June, p. 617; Chapter 3, Liquid and Solids Level Measurement, July, p. 735; Chapter 4, Differential Pressure Fluid Flowmeters, Aug., p. 843; Chapter 5, Measuring Instruments for Differential Pressure Flow Devices, Sept., p. 953; Chapter 6, Flow Measurements in Open Channels, Oct., p. 1065; Chapter 7, Displacement, Inferential, Magnetic and Ultrasonic Flowmeters, Nov., p. 1191; Chapter 8, Non-electrical Thermometers, Dec., p. 1323
Rocket valve, for Bluebird's braking system*, Aug., p. 887
Root solver*, Jan., p. 88
Rosenbrook, H. H.: Optimal Control, Dynamic Programming, and the Maximum Principle, Aug., p. 841
Rotameter, all metal*, April, p. 427
Rothwell, E.: Sensitive Mass Flowmeter and Controller, Feb., p. 153
Rotork actuators at Shell Haven, April, p. 442
Russell, F. M.: Particle Detectors, Part 3, Jan., p. 43

S

SIMA Notes, Jan., p. 83; Feb., p. 203; March, p. 318; April, p. 413; May, p. 525
Safe oxygen removal*, July, p. 787
Satellite Ground Stations, Digital Controls in, L. A. Steiner, Feb., p. 167
Scanning units*, Sept., p. 979
Seals, mechanical*, Jan., p. 88
Seismometer, adjustable period*, May, p. 553
Selector*, Oct., p. 1111
pressure*, Dec., p. 1353
Self seals, coupling*, June, p. 664
Semiconductor Alternator Control, Nov., p. 1207
Semiconductor load cell, and indicator unit*, June, p. 670
Semiconductor Survey, C. M. Sinclair, Part IV: Small Signal Diodes, Jan., p. 54
Sender, telemetry*, Nov., p. 1238
Sensitive Mass Flowmeter and Controller, E. Rothwell, Feb., p. 153
Sequential scanning and recording equipment*, Sept., p. 987

Shock-resistant, Friction-free Panel Meters, July, p. 731
Sightglass, unaffected by chemicals*, Jan., p. 87
Signal generator, fm/am*, April, p. 428
Signal unit, sound, multi-programme*, Oct., p. 1094
Sinclair, C. M.: Semiconductor Survey, Part IV, Small Signal Diodes, Jan., p. 54
Signal and Microwave Diodes, Jan., p. 60
Signal devices, illuminated*, April, p. 415
Simple Subcarrier Oscillator with Highly Linear F.M. Performance, H. Koppe, Nov., p. 1199
Smoke density indicating alarm and recording equipment*, March, p. 329
Society of Instrument Technology, Feb., p. 227
Socket, for 6-pin transistors*, Jan., p. 90
Soldering irons, electric*, Sept., p. 1000
Solenoids, Miniature, specially adapted for valves*, May, p. 543
Soldering machine, automatic*, March, p. 326
Some Popular Fallacies, Associated with the Nyquist Diagram, P. Atkinson, Oct., p. 1075
Space-charge-limited Crystal Valves, G. T. Wright, Jan., p. 33
Spectrophotometer*, Aug., p. 888
Spectrometer:
automatic liquid scintillation*, March, p. 321
compact, gamma*, March, p. 324
for quantitative analysis*, Sept., p. 979
gamma*, Jan., p. 96
omegatron mass*, July, p. 770
Spectrophotometer auto-limer attachment*, June, p. 655
Splice, fine wire*, Jan., p. 96; July, p. 790
Standard, phase shift*, Nov., p. 1251
Steam Generating Heavy Water Reactor, March, p. 275
Steel, commentary, July, p. 727
Steiner, L. A., Notes on Operational Experiences with the Ural-1 Computer, May, p. 505
Stepping motor, size 11*, April, p. 421
Stethoscope, electronic*, May, p. 553
Storage device*, Oct., p. 1111
Storage equipment*, Sept., p. 1000
Stott, F. D.: Whole-body Plethysmograph, Jan., p. 48
Strain gauge, semiconductor*, April, p. 428
Stroboscope:
blue-white light*, May, 556
transistorized*, June, p. 654
Suez Dredger Flowmeter, May, p. 524
Sundry Semiconductors, March, p. 302
Suppressors, selenium surge*, April, p. 420
Switch:
additional time*, May, p. 534
air purge failure*, March, p. 329
dial indicating pressure*, Aug., p. 884
electronic pulsing*, Jan., p. 99
low pressure, sensitive*, March, p. 331
push-button*, March, p. 325
rotary*, Oct., p. 1109; Dec., p. 1348
transistorized level control*, Sept., p. 1002
Switches:
fluid electric*, April, p. 422
gauges*, Feb., p. 217
Industrial Pressure, L. J. Jenkin, March, p. 276
industrial proximity*, May, p. 537
microphone*, June, p. 668
miniature pressure*, Dec., p. 1361
miniature push button*, Nov., p. 1223
pressure*, Jan., p. 87; Aug., p. 872
push-button*, Feb., p. 207
rocker*, Dec., p. 1348
Thorn level*, June, p. 651
Symposium: and Exhibition on Electronics, Instrumentation and Production, Sept., p. 943
Medical Instrumentation Teaching, Jan., p. 51
Synchronizing equipment*, Nov., p. 1249
Synchros*, July, p. 792
Synchros and resolvers*, July, p. 789

T

21st Century Trains, May, p. 519
Tachometer*, Oct., p. 1104
Walker*, July, p. 789
Tape:
conductive, pressure sensitive*, April, p. 429
thermosetting*, Aug., p. 879
Tape deck, comunications*, Dec., p. 1352
Tape units, wide-band, magnetic*, Aug., p. 870
Tape instrumentation, magnetic*, Aug., p. 884
Tape recorder:
magnetic*, Dec., p. 1352
portable, closed-circuit television*, Oct., p. 1093
Technical Press, Commentary, Feb., p. 151
Technicon sampler*, Aug., p. 864
Technology Applied, May, p. 570; June, p. 684; July, p. 803; Aug., p. 895; Sept., p. 1014; Oct., p. 1135; Nov., p. 1259; Dec., p. 1369
Technology, Life and Leisure, Thomson Lecture, Prof. D. Gabor, Dec., p. 1313
Temperature Calibrations, Feb., p. 190
Termashield ferrules*, July, p. 792
Terminal panels, for high speed riveting system*, Oct., p. 1119
Terminal:
feed-through*, Dec., p. 1346
triple connection "Press-Fit"*, Jan., p. 97
Terminals, sealed*, Sept., p. 996
Terminal strips, ceramic*, June, p. 663
Test jack*, Feb., p. 213
Test set:
gamma ray*, April, p. 420
pressure*, Nov., p. 1231
recording, multirange*, Nov., p. 1230
SCR*, Nov., p. 1246
Tester:
automatic circuit*, Oct. p. 1119
continuity*, March, p. 321
Test equipment, h.f. spark*, May, p. 551
Tester:
digital permeability, Jan., p. 112
high voltage insulation*, Sept., p. 993
In-circuit Transistor, G. F. Penver, Feb., p. 164
L.V. soldering/continuity*, June, p. 657
rubber, hardness*, March, p. 332
transistor*, Feb., p. 210; Nov., p. 1242; Dec., p. 1362
Testing by Hydraulics, Nov., p. 1202
Testing machine:
automatic creep*, Dec., p. 1351
light capacity tensile*, May, p. 541
pick up cartridge*, Sept., p. 975
Therapy equipment, ultrasonic, surgical*, March, p. 324
Thermistor:
interchangeable wafer*, Sept., p. 993
positive temperature coefficient*, April, p. 434
wafer*, Feb., p. 210
Thermocouples*, Nov., p. 1221
industrial*, July, p. 764
Thermometer:
dewpoint*, Oct., p. 1115
electronic*, June, p. 652
resistance*, Nov., p. 1238
Thermometer recorder*, Aug., p. 877
Thermostat:
combined socket*, July, p. 769
hydraulic*, May, p. 556
Thermostats*, Aug., p. 872
Thomson Lecture, Technology, Life and Leisure, Prof. D. Gabor, Dec., p. 1313
Thorpe, W., see Williamson, A.
3D Inspection Machine, Nov., p. 1208
Timer:
industrial process*, May, p. 537
microset industrial*, July, p. 785
miniature*, Nov., p. 1245
multi-circuit process*, Aug., p. 867
Timers:
multi circuit*, July, p. 793
sequence*, June, p. 654
solid state*, Nov., p. 1236
synchronous*, April, p. 431
Timing control, for extension and load cycling*, Dec., p. 1358
Timing device*, July, p. 783
Timing unit*, April, p. 433
Totalizer, solid-state*, May, p. 543
Training for the Electrical and Electronic Industry, July, p. 794
Training of Design Draughtsmen for Electronic Equipment, R. C. Winton, May, p. 515
Transducer:
differential pressure*, May, p. 541
Electropneumatic, July, p. 777
encapsulated ultrasonic unit*, Sept., p. 981
miniature, precision, potentiometric*, Nov., p. 1247
miniature pressure*, Dec., 1342
pressure*, Jan., p. 95; Feb., p. 213
small pressure*, Feb., p. 215
Transformers:
differential*, Jan., p. 99
encapsulated pulse*, Dec., p. 1346
miniature*, July, p. 780
Transistor Chopper, The Application, Characterization and Performance of the SPAT as a, J. A. Ekiss and J. W. Halligan, April, p. 387
Transistor:
high-gain, general purpose, planar*, Feb., p. 216
high voltage*, Oct., p. 1116
Transistor follower/amplifier unit*, July, p. 790
Transistor tester*, Jan., p. 93
in-circuit*, April, p. 415
Transistorized Power Supply Stabilizing Down to Zero Output Voltage, H. Koppe, Sept., p. 944

Transistorized radar and synthetic display system, Aug., p. 864
Transistors:
germanium power*, Sept., p. 998
high voltage, general-purpose, planar*, Jan., p. 98
low-level, low-noise*, July, p. 767
Transmitter:
electronic temperature*, Jan., p. 92
encapsulated ultrasonic unit*, Sept., p. 981
liquid level*, Dec., p. 1348
low differential, pressure*, Dec., p. 1358
transistorized potentiometer*, Nov., p. 1230
Transportable 200kV Surge Generator, July, p. 732
Transverse Measurement of Paper Substance, F. Church, Sept., p. 947
Transverse Paper Web Moisure Control, F. Church, Aug., p. 837
Tripping relays, to simplify circuit design*, Oct., p. 1114
Trolley, test instrument*, Dec., p. 1346
Tube:
cold-cathode, field emission*, March, p. 332
glow discharge*, Feb., p. 216
high resolution vidicon*, June, p. 664
Tubes, neon-filled, gas-discharge*, June, p. 657
Tubing, pre-dilated*, Nov., p. 1242
Tucker, M. J., see Harris, M. J.
Tunmore, B. G.: Net Flux Radiometer, July, p. 743
200 Humidity and Moisture Papers, April, p. 389
Typewriter, solenoid operated, for digital print-out*, Jan., p. 86

U

Ultrasonic cleaning equipment*, Jan., p. 91
Ultrasonic sensing unit*, Aug., p. 877
Ultrasonic sensor range*, July, p. 764
Utrasonic Thermometer, for Low Temperature Determinations, Feb., p. 192
Ultrasonic Waves Rotated by Magnetic Field, April, p. 378
Ultrasonics aid car rim production, April, p. 443
Ultrasonics aid film wrapping at Kodak, Jan., p. 112
Unique Electrical Measuring Instrument, J. B. Ayer, April, p. 382
Unit alarm system*, March, p. 325
Unit, for producing purified water*, Sept., p. 971
Units and Standards of Measurements in Electricity, Jan., p. 83
Universal bridge*, Feb., p. 212
Unwanted Factor—Noise, Commentary, May, p. 485

V

Vacuum units, high*, Feb., p. 217
Valve:
air rectifier/reducing*, Aug., p. 887
automatic gas*, Dec., p. 1362
cryogenic*, April, p. 415
electro-magnetic*, June, p. 655
fail-safe*, Nov., p. 1245
high conductance, all-metal*, Jan., p. 90
high pressure relief*, Sept., p. 1000
high temperature, non-return*, Sept., p. 983
hydraulic, shut-off*, Aug., p. 881
hydraulically operated, tanker*, May, p. 546
lever-operated solenoid*, May, p. 558
non-return*, Aug., p. 875
pivoted disc*, Nov., p. 1223
pressure reducing*, Jan., p. 94
quick-exhaust*, March, p. 324
soft seal instrument*, June, p. 665
solenoid, for difficult fluids*, June, p. 673
solenoid, operated*, Nov., p. 1222
Valves:
air bleed*, Jan., p. 86
butterfly*, June, p. 648
crystal, space charge-limited, G. T. Wright, Jan., p. 33
forged steel*, Nov., p. 1227
full bore ball*, Sept., p. 993
high pressure*, Feb., p. 209; Nov., p. 1221
high vacuum*, March, p. 332
midget poppet*, June, p. 664
miniature packless*, Oct., p. 1109
miniature pneumatic*, Sept., p. 983
motorized, plastic control*, Nov., p. 1246
needle*, May., p. 534
panel-mounting, pneumatic*, Jan., p. 90
plastic solenoid*, April, p. 420
sensitive, pneumatic*, March, p. 331
servo, and solenoid operated*, May, p. 547
solenoid*, March, p. 326
spring and diaphragm*, June, p. 661
stop*, March, p. 327
sub-base, mounted, pneumatic*, Oct., p. 1098
twist operated*, Oct., p. 1110
Valve Sizing, Introduction of a Critical Flow Factor for, Hans D. Baumann, Jan., p. 38
Vested Interest, May, p. 525
Voltmeter*, Jan., p. 99; May, p. 530
digital*, June, p. 665
differential*, May, p. 553
digital*, Jan., p. 98
selective u.h.f.*, Oct., p. 1123
sensitive valve, TF 2600*, June, p. 646
servo-driven, multirange d.c.*, Feb., p. 215
transistor*, Dec., p. 1349
valve*, Feb., p. 209
wideband, true r.m.s.*, Dec., p. 1362
Voltmeters:
digital*, Sept., p. 983
high resolution digital*, Oct., p. 113
valve*, June, p. 673

W

W.R.A.'s Progess in 1962, June, p. 614
Waffle Iron Memory Device, April, p. 414
Wagon Movement, Automatic Recording of, Jan., p. 74
Water and Pollution, Nov., p. 1184
Weighing equipment, electric*, July, p. 790
Welding equipment, stud*, July, p. 789
West, R. G.: Boundary Layer and Flow Measurement, Feb., p. 156; March, p. 269
Wetterstedt, Eric af: Marketing in Europe, June, p. 607
What Makes Materials Stick Together? July, p. 754
What's On, Oct., p. 1131; Nov., p. 1267
Wheatstone bridge, digital read-out*, March, p. 322
Whole-body Plethysmograph, F. D. Stott, Jan., p. 48
Williamson, A., and Thorpe, W.: High Output Silicon Resistance Strain Gauge, July, p. 729
Winder:
high speed, air operated, coil*, Aug., p. 884
page*, Aug., p. 887
Winton, R. C.: International Telemetering Conference and Exhibition, Sept., p. 967; Nov., p. 1204
Mullard Electronics Trainer, June, p. 614
Training of Design Draughtsmen for Electronic Equipment, May, p. 515
Wire stripper, rotary electric*, April, p. 422
Wright, A.: Leakage Reactance of Linear Couplers, April, p. 373
Residual Flux in Current Transformer Cores, Feb., p. 160
Wright, G. T.: Space-charge-limited Crystal Valves, Jan., p. 33

X

X-ray equipment, for on stream chemical analysis*, April, p. 434

Z

Zener Diodes, March, p. 293
Zener kit*, Jan., p. 93

Printed in Great Britain by Herald Printing Works, York and London—60116

646
Feb.,

1362

113

614
pril,

ding

July,

789
Flow
arch,

in

her?

1267
out*,

D.

High
rain

Aug.,

eter-
tion,

une,

for
515
pril,

near

rmer

nited

nical

50116